

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
28B: Dickman-----	100	Not limited		Not limited		Somewhat limited Slope	0.12
55: Nicollet-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.73 0.50	Somewhat limited Shrink-swell	0.50
62C2: Storden-----	90	Not limited		Not limited		Somewhat limited Slope	0.86
62D2: Storden-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
62E2: Storden-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
73B: Salida-----	100	Not limited		Not limited		Somewhat limited Slope	0.12
73E: Salida-----	100	Very limited Slope	0.96	Very limited Slope	0.96	Very limited Slope	1.00
90: Okoboji-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
95: Harps-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
107: Webster-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
135: Coland-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
135B: Coland-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
138B: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.01
138C: Clarion-----	100	Not limited		Not limited		Somewhat limited Slope	0.86
138C2: Clarion-----	85	Not limited		Not limited		Somewhat limited Slope	0.86
138D2: Clarion-----	85	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
150: Hanska-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
168B: Hayden-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
168C: Hayden-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50
168D2: Hayden-----	90	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
168E: Hayden-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
175B: Dickinson-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
221: Palms-----	100	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone	1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00
224: Linder-----	95	Not limited		Very limited Depth to saturated zone	0.95	Not limited	
236B: Lester-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
236C2: Lester-----	95	Not limited		Not limited		Somewhat limited Slope	0.86
236D2: Lester-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
236E2: Lester-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
236F: Lester-----	95	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
307: Dundas-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
321: Boots-----	95	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00
325: Le Sueur-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50
349: Darfur-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
384: Collinwood-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.82	Very limited Shrink-swell	1.00
384B: Collinwood-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.82	Very limited Shrink-swell Slope	1.00 0.01
386: Cordova-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
390: Waldorf-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
485B: Spillville-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
507: Canisteo-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
511: Blue Earth-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
583: Minnetonka-----	95	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
585B: Coland-----	60	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Spillville-----	40	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.61 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
621: Houghton-----	100	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00
638B2: Clarion-----	60	Not limited		Not limited		Somewhat limited Slope	0.01
Storden-----	35	Not limited		Not limited		Somewhat limited Slope	0.01
638C2: Clarion-----	60	Not limited		Not limited		Somewhat limited Slope	0.86
Storden-----	30	Not limited		Not limited		Somewhat limited Slope	0.86
638D2: Clarion-----	60	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Storden-----	30	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
638E2: Clarion-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Storden-----	30	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
655: Crippin-----	95	Not limited		Very limited Depth to saturated zone	0.95	Not limited	
658: Mayer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
777: Wapsie-----	95	Not limited		Not limited		Not limited	
777B: Wapsie-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
777C: Wapsie-----	90	Not limited		Not limited		Somewhat limited Slope	0.86
787B: Vinje-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
787C2: Vinje-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50
787D2: Vinje-----	95	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
811: Muskego-----	100	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00
823: Ridgeport-----	95	Not limited		Not limited		Not limited	
823B: Ridgeport-----	100	Not limited		Not limited		Somewhat limited Slope	0.01
836B: Kilkenny-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
836C2: Kilkenny-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50
836D2: Kilkenny-----	95	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
836E2: Kilkenny-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
836F: Kilkenny-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
855: Shorewood-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.61	Very limited Shrink-swell	1.00
1133: Colo-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
2811: Muskego-----	95	Very limited Not Rated (miscellaneous unit) Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Not Rated (miscellaneous unit) Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00	Very limited Not Rated (miscellaneous unit) Subsidence Depth to saturated zone Content of organic matter	1.00 1.00 1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	